

1. IgA Vasculitis with Simultaneous Cardiopulmonary Involvement

Bando K, **Maeba H**, Shiojima I.

Intern Med. 2018;57:829-834

2. Efficacy of Oxycodone for Dyspnea in End-stage Heart Failure with Renal Insufficiency

Tanaka M, **Maeba H**, Senoo T, Iwasaka J, Ohkita A, Kita H, Uchitani K, Hirota Y. A

Case Report. Intern Med 2018;57: 53-57

3. Nicorandil was an Effective Treatment Option for a Patient with Bland-White-Garland Syndrome

Morishita S, **Maeba H**, Takehana K, Shiojima I.

Intern Med. 2017 ;56:2295-2299

4. Thrombectomy and Catheter-Directed Thrombolysis Combined With Antithrombin Concentrate for Treatment of Antithrombin Deficiency Complicated by Acute Deep Vein Thrombosis That Is Refractory to Anticoagulation

Maeba H, Seno T, Shiojima I.

Int Heart J. 2016;57:649-653

5. Real time three-dimensional transesophageal echocardiographic images of platypnea-orthodeoxia due to patent foramen ovale

Sasaki T, Miyasaka Y, Suwa Y, Senoo T, Ohtagaki M, **Maeba H**, Tsujimoto S, Shiojima I.

Echocardiography. 2013;30:E116-7

6. Recent trends in the clinical characteristics of infective endocarditis: a survey of 54 consecutive cases from 2006 to 2010

Sugibayashi S, Miyasaka Y, Suwa Y, Hirayama Y, Okura H, **Maeba H**, Tsujimoto S, Shiojima I, Takahashi H.

Rinsho Byori. 2012;60:1121-5 Japanese

7. Isoelectric reference for pericarditis: TP may be better than PR

Maeba H.

Cardiology. 2012;123:39-40

8. Atypical Morphology and Myocardial Perfusion of Mid- Ventricular Ballooning: A

Case Report

Hirofumi Maeba, Kazuya Takehana, Takenori Kanazawa et al.

Journal of Cardiology Cases 2012;6: e70-e74

9. Left Ventricular Apical Ballooning Syndrome in a Patient with Infundibular Stenosis of the Right Ventricle: A Case Report

Hirofumi Maeba, Mio Haiden, Toshiji Iwasaka

Journal of Cardiology Cases 2012;5: e107-e112

10. Effect of eicosapentaenoic acid on regional arterial stiffness: Assessment by tissue Doppler imaging

Haiden M, Miyasaka Y, Kimura Y, Tsujimoto S, **Maeba H**, Suwa Y, Iwasaka T, Shiojima I. World J Cardiol. 2012;4:256-9

11. Prognostic value of normal stress-only technetium-99m myocardial perfusion imaging protocol. Comparison with standard stress-rest protocol

Ueyama T, Takehana K, **Maeba H**, Iwasaka T.

Circ J. 2012;76:2386-91

12. Pseudoaneurysm with left-to-right shunt in a patient with myocardial infarction: evaluation by three-dimensional echocardiography

Maeba H, Miyasaka Y, Kotaka A, Tsujimoto S, Yuasa F, Iwasaka T.

J Med Ultrason (2001). 2012;39:169-72

13. Obesity as an independent risk for left ventricular diastolic dysfunction in 692 Japanese patients

Dote K, Miyasaka Y, Tsujimoto S, Motohiro M, **Maeba H**, Suwa Y, Iwasaka T.

Obes Res Clin Pract. 2012;6:e175-262

14. Free-floating right ventricular thrombus as assessed by real-time 3-dimensional transesophageal echocardiography

Tsujimoto S, Miyasaka Y, Yokoe H, **Maeba H**, Yuasa F, Dote K, Iwasaka T.

J Ultrasound Med. 2012 ;31:127-8

15. Direct correlation between regional systolic function and regional washout rate of ^{99m}Tc-sestamibi in patients with idiopathic dilated cardiomyopathy

Takehana K, **Maeba H**, Ueyama T, Iwasaka T.
Nucl Med Commun. 2011;32:1174-8

16. Left atrial volume by real-time three-dimensional echocardiography: validation by 64-slice multidetector computed tomography

Miyasaka Y, Tsujimoto S, **Maeba H**, Yuasa F, Takehana K, Dote K, Iwasaka T.
J Am Soc Echocardiogr. 2011;24:680-6

17. Clinical significance of ischemic electrocardiographic changes during stress myocardial perfusion imaging: sub-analysis of the J-ACCESS study

Takehana K, Nishimura S, **Maeba H**, Ueyama T, Iwasaka T, Nishimura T.
Ann Nucl Med. 2010;24:215-24

18. Factors associated with myocardial salvage immediately after emergent percutaneous coronary intervention in patients with ST-elevation acute myocardial infarction

Yoshida S, Nakamura S, Sugiura T, Tsuka Y, **Maeba H**, Yuasa F, Senoo T, Takehana K, Baden M, Iwasaka T.
Ann Nucl Med. 2009;23:383-90

19. Non-invasive detection of ischemic left ventricular dysfunction using rest gated SPECT: expectation of simultaneous evaluation of both myocardial perfusion and wall motion abnormality

Maeba H, Takehana K, Nakamura S, Yoshida S, Ueyama T, Hatada K, Iwasaka T.
Ann Nucl Med. 2008;22:309-16

20. Different time course of changes in tricuspid regurgitant pressure gradient and pulmonary artery flow acceleration after pulmonary thromboendarterectomy: implications for discordant recovery of pulmonary artery pressure and compliance

Maeba H, Nakatani S, Sugawara M, Mimura J, Nakanishi N, Ogino H, Kitakaze M, Iwasaka T, Miyatake K.
Circ J. 2007 Nov;71(11):1771-5.

21. 'Takotsubo' cardiomyopathy in a maintenance hemodialysis patient

Fukui M, Mori Y, Tsujimoto S, Takehana K, Sakamoto N, Kishimoto N, Imada T, **Maeba**

H, Nose A, Yamahara H, Kijima Y, Kitamura T, Ueyama T, Kikuchi S, Tokoro T, Masaki H, Nishikawa M, Iwasaka T.

Ther Apher Dial. 2006;10:94-100

22. Effect of beta-blockers on the mortality of Japanese patients with myocardial infarction

Yamada K, Tsuji H, Tokunaga S, Kurimoto K, **Maeba H**, Matsuhisa S, Inami N, Iwasaka T. Int J Cardiol. 2006;108:309-13

23. Scintigraphic prediction of left ventricular functional recovery early after primary coronary angioplasty using single-injection quantitative electrocardiographic gated SPECT

Kurihara H, Nakamura S, Takehana K, Fukui M, Sawanishi T, **Maeba H**, Ueyama T, Hatada K, Sugiura T, Iwasaka T.

Nucl Med Commun. 2005;26:505-11

24. Usefulness of technetium-99m tetrofosmin single-photon emission computed tomography for short-term risk stratification in patients with acute chest pain in the emergency room

Kawahito M, Kondo M, Abe Y, Sakata J, Ikeda T, **Maeba H**, Matsuoka R, Kubota T, Araki M, Doyama K, Tanio H.

J Cardiol. 2003;42:147-54 Japanese